

# Certificate of Constancy of Performance



Certificate n°: 0757-CPR-277-9028256-1-3

In compliance with Regulation (EU) No 305/2011 of the European Parliament and of the Council of 9 March 2011 (the Construction products Regulation or CPR), this certificate applies to the construction product

Basis:

EN 16034  
EN 14351-1

## Windows with fire resistance and smoke control characteristics

Trade name	<b>TSH Brandschutzfenster 30</b>
Product description/ specification	Windows according to EN 14351-1:2006+A2:2016 with fire resistance and/or smoke control characteristics according to EN 16034:2014 Construction and classification: see EXAP report n° 17-001750-PR01 and classification report n° 17-001750-PR02
Levels and classes of performance	According to configuration in <b>annex 1</b>
Intended use(s)	– Installation in residential and non-residential construction – In the case of room partitioning into fire and/or smoke protection sections and/or escape routes
placed on the market under the name or trade mark of	<b>MB Fensterbau &amp; Tischlerei e. K.</b> <b>Inhaber Mike Beelitz</b> Zum Teerofen 53, DE-14822 Planebruch
and produced in the manufacturing plant(s)	<b>MB Fensterbau &amp; Tischlerei e. K.</b> <b>Inhaber Mike Beelitz</b> Lübznitzer Str. 38 a, DE-14806 Bad Belzig
Notified body No. EC-Reference-No.	<b>0757</b>




This certificate attests that all provisions concerning the assessment and verification of constancy of performance described in Annex ZA of the standard(s)

### EN 14351-1:2006+A2:2016 and EN 16034:2014

under system 1 for the performance set out in this certificate are applied and that the factory production control conducted by the manufacturer is assessed to ensure the **constancy of performance of the construction product**.

This certificate was first issued on 22.05.2019 and will remain valid until 21.05.2025, as long as neither the harmonised standard, the construction product, the AVCP methods nor the manufacturing conditions in the plant are modified significantly, unless suspended or withdrawn by the notified product certification body.

The use of this certificate and the marking of the products are bound by an existing certification and surveillance contract with the **ift Rosenheim** no. 277 9028256.



[www.ec.europa.eu](http://www.ec.europa.eu)

Identity check



[www.ift-rosenheim.de/](http://www.ift-rosenheim.de/)  
ift-zertifiziert  
ID: 076-ABAE3

*Christian Kehrer*

Christian Kehrer  
Head of notified product certification body  
**ift Rosenheim**  
05.12.2022



Ve-Zer-6274-de / 01.08.2022

# Certificate of constancy of performance

Annex 1 Page 1 of 1  
Certificate holder: MB Fensterbau & Tischlerei e. K.  
Date of issue: 05.12.2022



Certificate n°: 0757-CPR-277-9028256-1-3

## Product description:

Essential characteristics	Performance	Harmonised Technical Specification
<b>Fire resistance</b> (in the case of room partitioning into fire and/or smoke protection sections)	NPD / E 15 / E 20 / E 30 NPD / EW 15 / EW 20 / EW 30 NPD / EI <sub>2</sub> 15 / EI <sub>2</sub> 20 / EI <sub>2</sub> 30	EN 16034:2016
<b>Smoke control</b> (only for applications where smoke spread limitation is required)	NPD / S <sub>a</sub> / S <sub>200</sub>	
<b>Ability to release</b>	NPD / Released	
<b>Self-closing action</b> (only for self-closing fire and/or smoke protection doors and/or windows)	NPD / C	
<b>Durability of ability to release</b>	NPD / Maintain release	
<b>Durability of self-closing</b> (only for self-closing fire and/or smoke protection doors and/or windows) – Compared with loss of quality (resistance to repeated opening and closing) – Compared with ageing (corrosion)	NPD / 0 / 1 / 2 NPD / erzielt	
<b>Ability to release</b>	NPD	EN 14351-1: 2006+A2:2016