# **Certificate of Constancy** of Performance



Basis:

EN 16034

EN 14351-1

### Certificate n°: 0757-CPR-277-9028256-1-4

In compliance with Regulation (EU) No 305/2011 of the European Parliament and of the Council of 9 March 2011 (the Construction products Regulation or CPR), this certificate applies to the construction product

### Windows with fire resistance and smoke control characteristics

Trade name TSH Brandschutzfenster 30

> Windows according to EN 14351-1:2006+A2:2016 with fire resistance and/or smoke control characteristics according to EN 16034:2014

> Construction and classification: see EXAP report n° 17-001750-

PR01 and classification report n°17-001750-PR02 Levels and classes of

According to configuration in annex 1 Installation in residential and non-residential construction

- In the case of room partitioning into fire and/or smoke protection

sections and/or escape routes

placed on the market under the name or trade mark of

Product description/

specification

performance

Intended use(s)

MB Fensterbau & Tischlerei e. K. **Inhaber Mike Beelitz** 

Zum Teerofen 53, DE-14822 Planebruch

and produced in the manufacturing plant(s)

MB Fensterbau & Tischlerei e. K. **Inhaber Mike Beelitz** 

Lübnitzer Str. 38 a, DE-14806 Bad Belzig

0757 Notified body No.

This certificate attests that all provisions concerning the assessment and verification of constancy of performance described in Annex ZA of the standard(s)

#### EN 14351-1:2006+A2:2016 and EN 16034:2014

under system 1 for the performance set out in this certificate are applied and that the factory production control conducted by the manufacturer is assessed to ensure the constancy of performance of the construction product.

This certificate was first issued on 22.05.2019 and will remain valid until 21.05.2028, as long as neither the harmonised standard, the construction product, the AVCP methods nor the manufacturing conditions in the plant are modified significantly, unless suspended or withdrawn by the notified product certification body.


The use of this certificate and the marking of the products are bound by an existing certification and surveillance contract with the ift Rosenheim no. 277 9028256.



↑ +49 8031 261-0

www.ift-rosenheim.de

info@ift-rosenheim.de



www.ec.europa.eu

**Identity check** 



www.ift-rosenheim.de/ ift-zertifiziert ID: 076-ABAE3







# **Certificate of constancy of performance**

Annex 1 Page 1 of 1
Certificate holder: MB Fensterbau & Tischlerei e. K.

22.05.2025 Date of issue:



## Certificate n°: 0757-CPR-277-9028256-1-4

### **Product description:**

Essential characteristics according to EN 16034	Performance
Fire resistance (in the case of room partitioning into fire and/or smoke protection sections)	NPD / E 15 / E 20 / E 30 NPD / EW 15 / EW 20 / EW 30 NPD / El <sub>2</sub> 15 / El <sub>2</sub> 20 / El <sub>2</sub> 30
Smoke control (only for applications where smoke spread limitation is required)	NPD / Sa / S200
Ability to release	NPD / Released
Self-closing action (only for self-closing fire and/or smoke protection doors and/or windows)	NPD / C
Durability of ability to release	NPD / Maintain release
Durability of self-closing (only for self-closing fire and/or smoke protection doors and/or windows)  - Compared with loss of quality (resistance to repeated opening and closing)  - Compared with ageing (corrosion)	NPD / 0 / 1 / 2 NPD / achieved